



ARDON®
WORKWEAR
& OUTDOOR

ARDON® ARDON S3

SAFETY SHOES



DRY AIR



REFLECTIVE

TECHNICAL SHEET



ARDON®
WORKWEAR
& OUTDOOR

ARDON® ARDON S3

SAFETY SHOES

ARTICLE G1055

MATERIAL

Upper buffalo leather with SPLIT LEATHER design, thickness of 1,8 - 2 mm (with hydrophobic treatment)
 Lining laminated breathable fabric TAIBRELLE
 Sole PU/PU, two-component spray coating, oil resistant, anti-static, antislip

Toe cap Steel 522
 Plate Steel
 Insole BASIC

SIZE

UNIT 36-48

PACKAGE pair
 Units in a carton 10 pairs
 Units in a box 1 pair

DIMENSIONS

	36-45	46-48
Carton H x W x D (cm)	36 x 48 x 64	36 x 51.5 x 67
Carton (cbm)	0,111	0,124

Size EUR	35	36	37	38	39	40	41	42	43	44	45	46	47	48	49	50	51
Insole length mm	-	240	248	254	261	266	272	280	285	294	303	308	318	324	-	-	-
Foot length cm	-	23,0	23,8	24,4	25,1	25,6	26,2	27,0	27,5	28,4	29,3	29,8	30,8	31,4	-	-	-

DESCRIPTION

Ardon safety ankle shoes with leather uppe (with hydrophobic treatment) , with reflective elements. Sole made of double density PU / PU material.



ARDON[®]
WORKWEAR
 & **OUTDOOR**

NORMS

(EU) 2016/425

EN ISO 20345:2011 Personal protective equipment –Safety footwear

Category S3 SRC

Categories	EN ISO 20345	
E - energy absorption in the heel area	✓	
FO - resistance to oils and fuels	✓	
A - antistatic footwear	✓	
SRC - resistance to slipping on ceramic floor tiles with SLS and on steel floors with glycerin	✓	
WR - upper resistant to water	✓	
Safety toe cap for toe protection	✓	
P - resistance to punctures (protective insole)	✓	
SRA - slip resistance ceramic floor tiles with SLS		
HRO - resistance to contact heatup to 300 °C		
HI-insulation of the bottom of the shoe against heat		
CI-insulation of the bottom of the shoe against the cold		
Splatters of molten metal		
ESD – shoe protects against electrostatic discharge and can be used on EPA premises		
The shoes do not contain metal parts		
-		
-		
-		

TECHNICAL SHEET





ARDON®

**WORKWEAR
& OUTDOOR**

CODE	EAN	CARTON WEIGHT (KG)	UNIT WEIGHT (KG)
G1055/36	8592390008244	16,65	1,665
G1055/37	8592390008251	16,71	1,671
G1055/38	8592390008268	16,82	1,682
G1055/39	8592390008275	16,91	1,691
G1055/40	8592390008282	17,06	1,706
G1055/41	8592390008299	17,86	1,786
G1055/42	8592390008305	18,86	1,886
G1055/43	8592390008312	19,04	1,904
G1055/44	8592390008329	19,69	1,969
G1055/45	8592390008336	20,40	2,040
G1055/46	8592390008343	21,01	2,101
G1055/47	8592390008350	21,27	2,127
G1055/48	8592390008367	21,49	2,149





ARDON®
WORKWEAR
& OUTDOOR





ARDON®

**WORKWEAR
& OUTDOOR**



TECHNICAL SHEET