



**ARDON®**  
**WORKWEAR**  
**& OUTDOOR**

## ARDON® ARLOW S1

SAFETY SHOES



DRY AIR



REFLECTIVE

TECHNICAL SHEET



**ARDON®**  
**WORKWEAR**  
**& OUTDOOR**

# ARDON®ARLOW S1

SAFETY SHOES

**ARTICLE** G1053

**MATERIAL**

Upper buffalo leather with SPLIT LEATHER design, thickness of 1,8 - 2 mm  
 Lining laminated breathable fabric TAIBRELLE  
 Sole PU/PU, two-component spray coating, oil resistant, anti-static, antislip

Toe cap Steel 522  
 Plate BASIC  
 Insole

**SIZE** 36-48  
**UNIT** pair

**PACKAGE**  
 Units in a carton 10 pairs  
 Units in a box 1 pair

**DIMENSIONS**

36-48  
 Carton H x W x D 36 x 40 x 66,5  
 (cm)  
 Carton (cbm) 0,096

Size EUR	35	36	37	38	39	40	41	42	43	44	45	46	47	48	49	50	51
Insole length mm	-	240	248	254	261	266	272	280	285	294	303	308	318	324	-	-	-
Foot length cm	-	23,5	24,3	24,9	25,6	26,1	26,7	27,5	28,0	28,9	29,8	30,3	31,3	31,9	-	-	-

**DESCRIPTION**

Ardon safety low shoes with leather upper, with reflective elements. Sole made of double density PU / PU material.



**ARDON**<sup>®</sup>  
**WORKWEAR**  
 & **OUTDOOR**

## NORMS

(EU) 2016/425

EN ISO 20345:2011 Personal protective equipment – Safety footwear

Category S1 SRC

Categories	EN ISO 20345	
E - energy absorption in the heel area	✓	
FO - resistance to oils and fuels	✓	
A - antistatic footwear	✓	
SRC - resistance to slipping on ceramic floor tiles with SLS and on steel floors with glycerin	✓	
WR - upper resistant to water		
Safety toe cap for toe protection	✓	
P - resistance to punctures (protective insole)		
SRA - slip resistance ceramic floor tiles with SLS		
HRO - resistance to contact heat up to 300 °C		
HI-insulation of the bottom of the shoe against heat		
CI-insulation of the bottom of the shoe against the cold		
Splatters of molten metal		
ESD – shoe protects against electrostatic discharge and can be used on EPA premises		
The shoes do not contain metal parts		
-		
-		
-		

TECHNICAL SHEET





**ARDON®**

**WORKWEAR  
& OUTDOOR**

<b>CODE</b>	<b>EAN</b>	<b>CARTON WEIGHT (KG)</b>	<b>UNIT WEIGHT (KG)</b>
G1053/36	8592390007858	14,06	1,406
G1053/37	8592390007865	14,11	1,411
G1053/38	8592390007872	14,19	1,419
G1053/39	8592390007889	14,31	1,431
G1053/40	8592390007896	14,37	1,437
G1053/41	8592390007902	14,88	1,488
G1053/42	8592390007919	15,58	1,558
G1053/43	8592390007926	16,24	1,624
G1053/44	8592390007933	16,78	1,678
G1053/45	8592390007940	16,93	1,693
G1053/46	8592390007957	17,30	1,730
G1053/47	8592390007964	17,69	1,769
G1053/48	8592390007971	18,02	1,802





**ARDON®**  
**WORKWEAR**  
**& OUTDOOR**





**ARDON®**

**WORKWEAR  
& OUTDOOR**



TECHNICAL SHEET