



**ARDON®**  
**WORKWEAR**  
**& OUTDOOR**

## ARDON® ARLOW S3

SAFETY SHOES



DRY AIR



REFLECTIVE

TECHNICAL SHEET



**ARDON**<sup>®</sup>  
**WORKWEAR**  
 & **OUTDOOR**

# ARDON<sup>®</sup>ARLOW S3

SAFETY SHOES

**ARTICLE** G3118

**MATERIAL**

Upper buffalo leather with SPLIT LEATHER design, thickness of 1,8 - 2 mm (with hydrophobic treatment)  
 Lining laminated breathable fabric TAIBRELLE  
 Sole PU/PU, two-component spray coating, oil resistant, anti-static, antislip

Toe cap Steel 522  
 Plate Steel  
 Insole BASIC  
**SIZE** 36-48  
**UNIT** pair

**PACKAGE**

Units in a carton 10 pairs  
 Units in a box 1 pair

**DIMENSIONS**

	36-45	46-48
Carton H x W x D (cm)	36 x 48 x 64	36 x 51.5 x 67
Carton (cbm)	0,111	0,124

Size EUR	35	36	37	38	39	40	41	42	43	44	45	46	47	48	49	50	51
Insole length mm	-	240	248	254	261	266	272	280	285	294	303	308	318	324	-	-	-
Foot length cm	-	23,0	23,8	24,4	25,1	25,6	26,2	27,0	27,5	28,4	29,3	29,8	30,8	31,4	-	-	-

**DESCRIPTION**

Safety low shoes with leather upper (with hydrophobic treatment), with reflective elements. Sole made of double density PU / PU material.



**ARDON**<sup>®</sup>  
**WORKWEAR**  
 & **OUTDOOR**

## NORMS

(EU) 2016/425

EN ISO 20345:2011 Personal protective equipment –Safety footwear

Category S3 SRC

Categories	EN ISO 20345	
E - energy absorption in the heel area	✓	
FO - resistance to oils and fuels	✓	
A - antistatic footwear	✓	
SRC - resistance to slipping on ceramic floor tiles with SLS and on steel floors with glycerin	✓	
WR - upper resistant to water	✓	
Safety toe cap for toe protection	✓	
P - resistance to punctures (protective insole)	✓	
SRA - slip resistance ceramic floor tiles with SLS		
HRO - resistance to contact heatup to 300 °C		
HI-insulation of the bottom of the shoe against heat		
CI-insulation of the bottom of the shoe against the cold		
Splatters of molten metal		
ESD – shoe protects against electrostatic discharge and can be used on EPA premises		
The shoes do not contain metal parts		
-		
-		
-		

TECHNICAL SHEET





**ARDON®**

**WORKWEAR  
& OUTDOOR**

<b>CODE</b>	<b>EAN</b>	<b>CARTON WEIGHT (KG)</b>	<b>UNIT WEIGHT (KG)</b>
G3118/36	8592390009807	14,86	1,486
G3118/37	8592390009814	15,01	1,501
G3118/38	8592390009821	15,29	1,529
G3118/39	8592390009838	15,45	1,545
G3118/40	8592390009845	15,57	1,557
G3118/41	8592390009852	16,28	1,628
G3118/42	8592390009869	16,78	1,678
G3118/43	8592390009876	17,62	1,762
G3118/44	8592390009883	17,98	1,798
G3118/45	8592390009890	18,23	1,823
G3118/46	8592390009906	18,60	1,860
G3118/47	8592390009913	18,99	1,899
G3118/48	8592390009920	19,42	1,942





**ARDON®**  
**WORKWEAR**  
**& OUTDOOR**





**ARDON®**  
**WORKWEAR**  
**& OUTDOOR**

