



ARDON®
WORKWEAR
& OUTDOOR

ARDON® ARSAN O1

WORKING SHOES



DRY AIR



REFLECTIVE



ZIPPERS

TECHNICAL SHEET



ARDON[®]
WORKWEAR
& **OUTDOOR**

ARDON[®] ARSAN 01

WORKING SHOES

ARTICLE G3116

MATERIAL

Upper
Lining
Sole

buffalo leather with SPLIT LEATHER design in a thickness of 1,8 - 2 mm
laminated breathable fabric TAIBRELLE
PU/PU, two-component spray coating, oil resistant, anti-static, antislip

Toe cap
Plate
Insole

X
X
BASIC

SIZE

36-48

UNIT

pair

PACKAGE

Units in a carton
Units in a box

10 pairs
1 pair

DIMENSIONS

Carton H x W x D
(cm)
Carton (cbm)

36-48
36 x 40 x 66,5
0,096

Size EUR	35	36	37	38	39	40	41	42	43	44	45	46	47	48	49	50	51
Insole length mm	-	240	248	254	261	266	272	280	285	294	303	308	318	324	-	-	-
Foot length cm	-	23,5	24,3	24,9	25,6	26,1	26,7	27,5	28,0	28,9	29,8	30,3	31,3	31,9	-	-	-

DESCRIPTION

Sandal with leather upper, with reflective elements and velcro fastening. Sole made of double density PU / PU material.



ARDON[®]
WORKWEAR
 & **OUTDOOR**

NORMS

(EU) 2016/425

EN ISO 20345:2011 Personal protective equipment –Occupational footwear

Category O1 SRC

Categories	EN ISO 20347	
E - energy absorption in the heel area	✓	
FO - resistance to oils and fuels	✓	
A - antistatic footwear	✓	
SRC - resistance to slipping on ceramic floor tiles with SLS and on steel floors with glycerin	✓	
WR - upper resistant to water		
Safety toe cap for toe protection		
P - resistance to punctures (protective insole)		
SRA - slip resistance ceramic floor tiles with SLS		
HRO - resistance to contact heatup to 300 °C		
HI-insulation of the bottom of the shoe against heat		
CI-insulation of the bottom of the shoe against the cold		
Splatters of molten metal		
ESD – shoe protects against electrostatic discharge and can be used on EPA premises		
The shoes do not contain metal parts		
-		
-		
-		

TECHNICAL SHEET





ARDON®

**WORKWEAR
& OUTDOOR**

CODE	EAN	CARTON WEIGHT (KG)	UNIT WEIGHT (KG)
G3116/36	8592390008763	11,95	1,195
G3116/37	8592390008770	12,10	1,210
G3116/38	8592390008787	12,23	1,223
G3116/39	8592390008794	12,45	1,245
G3116/40	8592390008800	12,90	1,290
G3116/41	8592390008817	13,37	1,337
G3116/42	8592390008824	13,59	1,359
G3116/43	8592390008831	13,90	1,390
G3116/44	8592390008848	14,45	1,445
G3116/45	8592390008855	14,91	1,491
G3116/46	8592390008862	15,36	1,536
G3116/47	8592390008879	15,78	1,578
G3116/48	8592390008886	16,02	1,602





ARDON®
WORKWEAR
& OUTDOOR





ARDON®

**WORKWEAR
& OUTDOOR**



TECHNICAL SHEET