



**ARDON®**  
**WORKWEAR**  
**& OUTDOOR**

## ARDON® ARSAN S1P

SAFETY SHOES



DRY AIR



REFLECTIVE



ZIPPERS

TECHNICAL SHEET



**ARDON®**  
**WORKWEAR**  
**& OUTDOOR**

# ARDON® ARSAN S1P

SAFETY SHOES

**ARTICLE** G3119

**MATERIAL**

Upper buffalo leather with SPLIT LEATHER design in a thickness of 1,8 - 2 mm  
 Lining laminated breathable fabric TAIBRELLE  
 Sole PU/PU, two-component spray coating, oil resistant, anti-static, antislip

Toe cap Steel 522  
 Plate Steel  
 Insole BASIC

**SIZE**

36-48

**UNIT**

pair

**PACKAGE**

Units in a carton 10 pairs

Units in a box 1 pair

**DIMENSIONS**

36-48  
 Carton H x W x D 36 x 40 x 66,5  
 (cm)

Carton (cbm) 0,096

Size EUR	35	36	37	38	39	40	41	42	43	44	45	46	47	48	49	50	51
Insole length mm	-	240	248	254	261	266	272	280	285	294	303	308	318	324	-	-	-
Foot length cm	-	23,5	24,3	24,9	25,6	26,1	26,7	27,5	28,0	28,9	29,8	30,3	31,3	31,9	-	-	-

**DESCRIPTION**

Sandal with leather upper, with reflective elements and velcro fastening. Sole made of double density PU / PU material. In the S1 version, safety is ensured by a steel toe cap, and in the S1P version, a steel toe cap and a steel insole against punctures.



**ARDON**<sup>®</sup>  
**WORKWEAR**  
 & **OUTDOOR**

## NORMS

(EU) 2016/425

EN ISO 20345:2011 Personal protective equipment –Safety footwear

Category S1P SRC

Categories	EN ISO 20345	
E - energy absorption in the heel area	✓	
FO - resistance to oils and fuels	✓	
A - antistatic footwear	✓	
SRC - resistance to slipping on ceramic floor tiles with SLS and on steel floors with glycerin	✓	
WR - upper resistant to water		
Safety toe cap for toe protection	✓	
P - resistance to punctures (protective insole)	✓	
SRA - slip resistance ceramic floor tiles with SLS		
HRO - resistance to contact heat up to 300 °C		
HI-insulation of the bottom of the shoe against heat		
CI-insulation of the bottom of the shoe against the cold		
Splatters of molten metal		
ESD – shoe protects against electrostatic discharge and can be used on EPA premises		
The shoes do not contain metal parts		
-		
-		
-		

TECHNICAL SHEET



**ARDON®**

**WORKWEAR  
& OUTDOOR**

<b>CODE</b>	<b>EAN</b>	<b>CARTON WEIGHT (KG)</b>	<b>UNIT WEIGHT (KG)</b>
G3119/36	8592390009029	14,320	1,432
G3119/37	8592390009036	14,475	1,4475
G3119/38	8592390009043	14,750	1,475
G3119/39	8592390009050	14,990	1,499
G3119/40	8592390009067	15,615	1,5615
G3119/41	8592390009074	16,330	1,633
G3119/42	8592390009081	16,930	1,693
G3119/43	8592390009098	17,450	1,745
G3119/44	8592390009104	17,680	1,768
G3119/45	8592390009111	17,990	1,799
G3119/46	8592390009128	18,220	1,822
G3119/47	8592390009135	18,410	1,841
G3119/48	8592390009142	18,680	1,868





**ARDON®**  
**WORKWEAR**  
**& OUTDOOR**





**ARDON<sup>®</sup>**  
**WORKWEAR**  
**& OUTDOOR**



TECHNICAL SHEET