



**ARDON®**  
**WORKWEAR**  
& **OUTDOOR**

# ARDON® FINN S2

SAFETY SHOES



**DRY AIR**



**WASH-FRIENDLY**

TECHNICAL SHEET



**ARDON®**  
**WORKWEAR**  
**& OUTDOOR**

# ARDON® FINN S2

SAFETY SHOES

**ARTICLE** G1268

**MATERIAL**

Upper MICROFIBER with a thickness of 1,6 mm  
 Lining MESH laminated breathable fabric  
 Sole PU/PU, two-component spray coating, oil resistant, anti-static, antislip  
 Toe cap steel 459  
 Plate -  
 Insole BASIC

**SIZE** 36-48

**UNIT** pair

**PACKAGE**

Units in a carton 10 pairs  
 Units in a box 1 pair

**DIMENSIONS**

|                       | 36-42            | 43-48              |
|-----------------------|------------------|--------------------|
| Carton H x W x D (cm) | 61 x 33,5 x 40,5 | 64,5 x 35,5 x 42,5 |
| Carton (cbm)          | 0,0828           | 0,0973             |



TECHNICAL SHEET

| Size EUR         | 35 | 36   | 37   | 38   | 39   | 40   | 41   | 42   | 43   | 44   | 45   | 46   | 47   | 48   | 49 | 50 | 51 |
|------------------|----|------|------|------|------|------|------|------|------|------|------|------|------|------|----|----|----|
| Insole length mm | -  | 234  | 241  | 247  | 254  | 261  | 267  | 274  | 281  | 287  | 294  | 301  | 307  | 314  | -  | -  | -  |
| Foot length cm   | -  | 22,9 | 23,6 | 24,2 | 24,9 | 25,6 | 26,2 | 26,9 | 27,6 | 28,2 | 28,9 | 29,6 | 30,2 | 30,9 | -  | -  | -  |

**DESCRIPTION**

White low shoe with microfiber upper. Two-component polyurethane sole with the highest anti-slip level of protection. Safety is ensured by a steel toe cap.



**ARDON**<sup>®</sup>  
**WORKWEAR**  
 & **OUTDOOR**

## NORMS

(EU) 2016/425

EN ISO 20345:2011 Personal protective equipment - Safety footwear

Category S2 SRC

| Categories   | EN ISO 20345 |  |
|--|--------------|--|
| E - energy absorption in the heel area   | ✓            |  |
| FO - resistance to oils and fuels  | ✓            |  |
| A - antistatic footwear  | ✓            |  |
| SRC - resistance to slipping on ceramic floor tiles with SLS and on steel floors with glycerin | ✓            |  |
| WR - upper resistant to water  | ✓            |  |
| Safety toe cap for toe protection  | ✓            |  |
| P - resistance to punctures (protective insole)  |              |  |
| SRA - slip resistance ceramic floor tiles with SLS   |              |  |
| HRO - resistance to contact heat up to 300 °C  |              |  |
| HI-insulation of the bottom of the shoe against heat   |              |  |
| CI-insulation of the bottom of the shoe against the cold                                       |              |  |
| Splatters of molten metal  |              |  |
| ESD – shoe protects against electrostatic discharge and can be used on EPA premises            |              |  |
| The shoes do not contain metal parts   |              |  |
| -  |              |  |
| -  |              |  |
| -  |              |  |

TECHNICAL SHEET



**ARDON®**  
**WORKWEAR**  
**& OUTDOOR**

| <b>CODE</b> | <b>EAN</b>    | <b>CARTON WEIGHT<br/>(KG)</b> | <b>UNIT WEIGHT<br/>(KG)</b> |
|-------------|---------------|-------------------------------|-----------------------------|
| G1268/36    | 8592390061492 | 10.6                          | 1.06                        |
| G1268/37    | 8592390061508 | 10.8                          | 1.08                        |
| G1268/38    | 8592390061515 | 11.0                          | 1.10                        |
| G1268/39    | 8592390061522 | 11.2                          | 1.12                        |
| G1268/40    | 8592390061539 | 11.6                          | 1.16                        |
| G1268/41    | 8592390061546 | 11.8                          | 1.18                        |
| G1268/42    | 8592390061553 | 12.0                          | 1.20                        |
| G1268/43    | 8592390061560 | 12.2                          | 1.22                        |
| G1268/44    | 8592390061577 | 12.8                          | 1.28                        |
| G1268/45    | 8592390061584 | 13.1                          | 1.31                        |
| G1268/46    | 8592390061591 | 13.5                          | 1.35                        |
| G1268/47    | 8592390061607 | 13.8                          | 1.38                        |
| G1268/48    | 8592390061614 | 14.1                          | 1.41                        |





**ARDON®**  
**WORKWEAR**  
**& OUTDOOR**







**ARDON**<sup>®</sup>  
**WORKWEAR**  
**& OUTDOOR**



TECHNICAL SHEET