



ARDON[®]
WORKWEAR
& OUTDOOR

ARDON[®] FIRSTY S1P

SAFETY SHOES



DRY AIR



REFLECTIVE

TECHNICAL SHEET



ARDON[®]
WORKWEAR
 & **OUTDOOR**

ARDON[®] FIRSTY S1P

SAFETY SHOES

ARTICLE G1185

MATERIAL

Upper cowhide leather with SPLIT LEATHER design
 Lining MESH laminated breathable fabric
 Sole PU/PU, two-component spray coating, oil resistant, anti-static, antislip
 Toe cap steel 522X
 Plate steel
 Insole BASIC

SIZE 36-48

UNIT pair

PACKAGE

Units in a carton 10 pairs
 Units in a box 1 pair

DIMENSIONS

	36-42	43-46	47-48
Carton H x W x D (cm)	59,5 x 32,5 x 37,5	62 x 34,5 x 39,5	62 x 36 x 41,5
Carton (cbm)	0,0725	0,0845	0,0926

Size EUR	35	36	37	38	39	40	41	42	43	44	45	46	47	48	49	50	51
Insole length mm	-	239	246	252	259	266	272	279	286	292	299	306	312	319	-	-	-
Foot length cm	-	22,9	23,6	24,2	24,9	25,6	26,2	26,9	27,6	28,2	28,9	29,6	30,2	30,9	-	-	-

DESCRIPTION

Ankle boots with two-component polyurethane soles, a steel safety toe cap and a puncture-resistant insole.

TECHNICAL SHEET



ARDON[®]
WORKWEAR
 & **OUTDOOR**

NORMS

(EU) 2016/425

EN ISO 20345:2011 Personal protective equipment - Safety footwear

Category S1P SRA

Categories	EN ISO 20345	
E - energy absorption in the heel area	✓	
FO - resistance to oils and fuels	✓	
A - antistatic footwear	✓	
SRC - resistance to slipping on ceramic floor tiles with SLS and on steel floors with glycerin		
WR - upper resistant to water		
Safety toe cap for toe protection	✓	
P - resistance to punctures (protective insole)	✓	
SRA - slip resistance ceramic floor tiles with SLS	✓	
HRO - resistance to contact heatup to 300 °C		
HI-insulation of the bottom of the shoe against heat		
CI-insulation of the bottom of the shoe against the cold		
Splatters of molten metal		
ESD – shoe protects against electrostatic discharge and can be used on EPA premises		
The shoes do not contain metal parts		
-		
-		
-		

TECHNICAL SHEET



ARDON®
WORKWEAR
& OUTDOOR

CODE	EAN	CARTON WEIGHT (KG)	UNIT WEIGHT (KG)
G1185/36	8592390032942	15.62	1.562
G1185/37	8592390032959	15.64	1.564
G1185/38	8592390032966	15.68	1.568
G1185/39	8592390032973	15.71	1.571
G1185/40	8592390032980	15.76	1.576
G1185/41	8592390032997	15.79	1.579
G1185/42	8592390033000	15.81	1.581
G1185/43	8592390033017	15.83	1.583
G1185/44	8592390033024	15.87	1.587
G1185/45	8592390033031	15.89	1.589
G1185/46	8592390033048	15.91	1.591
G1185/47	8592390033055	15.94	1.594
G1185/48	8592390033062	15.98	1.598





ARDON®
WORKWEAR
& OUTDOOR





ARDON®

**WORKWEAR
& OUTDOOR**



TECHNICAL SHEET