



ARDON[®]
WORKWEAR
& OUTDOOR

ARDON[®] ROVER S3 HRO

SAFETY SHOES



DRY AIR



FOOT COMFORT



**WATER
REPELLENT**

TECHNICAL SHEET



ARDON[®]
WORKWEAR
 & **OUTDOOR**

ARDON[®] ROVER S3 HRO

SAFETY SHOES

ARTICLE G3290

MATERIAL

Upper
 Lining
 Sole

Toe cap
 Plate
 Insole


**SIZE
 UNIT**

PACKAGE


Units in a carton
 Units in a box

DIMENSIONS

Carton H x W x D
 (cm)
 Carton (cbm)



drophobic MESH
 tic, antislip,
 ngitudinal and



	35-38	39-43	44-48	49-50
Carton H x W x D (cm)	64,5x 34 x 43,5	64,5x 34 x 51,5	67x38x55,5	69,5x41x57,5
Carton (cbm)	0,0954	0,1129	0,1413	0,1638

Size EUR	35	36	37	38	39	40	41	42	43	44	45	46	47	48	49	50	51
Insole length mm	232	239	246	253	259	266	273	280	287	293	300	306	313	319	325	332	-
Foot length cm	22,2	22,9	23,6	24,3	24,9	25,6	26,3	27	27,7	28,3	29	29,6	30,3	30,9	31,5	32,2	-

DESCRIPTION

Safety shoes with an extra wide sole, resistant to contact heat up to 300 ° C and with an upper made of leather with a PU coating. The ANATOMIC FOAM insole ensures increased comfort of the shoes. The shoes are equipped with a composite toe cap and a kevlar insole against punctures.

TECHNICAL SHEET



ARDON[®]
WORKWEAR
 & **OUTDOOR**

NORMS

(EU) 2016/425

EN ISO 20345:2011 Personal protective equipment - Safety footwear

Category S3 HRO SRC CI HI

Categories	EN ISO 20345	
E - energy absorption in the heel area	✓	
FO - resistance to oils and fuels	✓	
A - antistatic footwear	✓	
SRC - resistance to slipping on ceramic floor tiles with SLS and on steel floors with glycerin	✓	
WRU - upper resistant to water	✓	
Safety toe cap for toe protection	✓	
P - resistance to punctures (protective insole)	✓	
SRA - slip resistance ceramic floor tiles with SLS		
HRO - resistance to contact heatup to 300 °C	✓	
HI-insulation of the bottom of the shoe against heat	✓	
CI-insulation of the bottom of the shoe against the cold	✓	
Splatters of molten metal		
ESD – shoe protects against electrostatic discharge and can be used on EPA premises		
The shoes do not contain metal parts		
-		
-		
-		

TECHNICAL SHEET





ARDON®
WORKWEAR
& OUTDOOR

CODE	EAN	CARTON WEIGHT (KG)	UNIT WEIGHT (KG)
G3290/35	8592390133366	19.2	1.920
G3290/36	8592390133373	19.3	1.925
G3290/37	8592390098528	19.3	1.930
G3290/38	8592390098535	19.4	1.935
G3290/39	8592390098542	19.4	1.940
G3290/40	8592390098559	19.5	1.945
G3290/41	8592390098566	19.6	1.959
G3290/42	8592390098573	19.8	1.975
G3290/43	8592390098580	19.8	1.981
G3290/44	8592390098597	19.8	1.983
G3290/45	8592390098603	19.9	1.988
G3290/46	8592390098610	19.9	1.989
G3290/47	8592390098627	19.9	1.990
G3290/48	8592390098634	20.0	2.000
G3290/49	8592390133380	20.5	2.050
G3290/50	8592390133397	20.9	2.090





ARDON®
WORKWEAR
& OUTDOOR





ARDON®

**WORKWEAR
& OUTDOOR**



TECHNICAL SHEET