



**ARDON®**  
**WORKWEAR**  
**& OUTDOOR**

## ARDON® TIBIA S3

SAFETY SHOES



WINTER



FOOT COMFORT



WATER  
REPELLENT



NONMETALLIC

TECHNICAL SHEET



**ARDON**<sup>®</sup>  
**WORKWEAR**  
 & **OUTDOOR**

# ARDON<sup>®</sup> TIBIA S3

SAFETY SHOES

**ARTICLE** G3291

**MATERIAL**

Upper cowhide leather with SPLIT LEATHER design, hydrophobic  
 Lining synthetic fur  
 Sole PU/rubber, two-component spray coating, oil resistant, anti-static, antislip, resistant up to 300 ° C  
 Toe cap composite 431  
 Plate kevlar  
 Insole ANATOMIC FOAM – anatomically shaped EVA foam, supports longitudinal and transverse arches, absorbs shocks in the heel area

**SIZE**  
**UNIT**

38-48  
 pair

**PACKAGE**

Units in a carton  
 Units in a box

10 pairs  
 1 pair

**DIMENSIONS**

Carton H x W x D (cm)  
 Carton (cbm)

	38-42	43-48
Carton H x W x D (cm)	64,5x 33,5x 60,5	67x 37,5 x 65,5
Carton (cbm)	0,1307	0,1646



TECHNICAL SHEET

Size EUR	35	36	37	38	39	40	41	42	43	44	45	46	47	48	49	50	51
Insole length mm	-	-	-	253	259	266	273	280	287	293	300	306	313	319	-	-	-
Foot length cm	-	-	-	24,3	24,9	25,6	26,3	27	27,7	28,3	29	29,6	30,3	30,9	-	-	-

**DESCRIPTION**

Shin-high safety shoes insulated with synthetic fur for perfect thermal comfort. The ANATOMIC FOAM insole ensures increased comfort of the shoes. The shoes are equipped with a composite toe cap and a Kevlar insole against punctures and therefore do not contain any metal parts.



**ARDON**<sup>®</sup>  
**WORKWEAR**  
 & **OUTDOOR**

## NORMS

(EU) 2016/425

EN ISO 20345:2022

Personal protective equipment - Safety footwear

Category

S3L HI CI SR HRO FO

Categories	EN ISO 20345	
E - energy absorption in the heel area	✓	
FO - resistance to oils and fuels	✓	
A - antistatic footwear	✓	
SRC - resistance to slipping on ceramic floor tiles with SLS and on steel floors with glycerin	✓	
WRU - upper resistant to water	✓	
Safety toe cap for toe protection	✓	
P - resistance to punctures (protective insole)	✓	
HRO - resistance to contact heat up to 300 °C		
HI-insulation of the bottom of the shoe against heat	✓	
CI-insulation of the bottom of the shoe against the cold	✓	
Splatters of molten metal		
ESD – shoe protects against electrostatic discharge and can be used on EPA premises		
The shoes do not contain metal parts	✓	
-		
-		
-		

TECHNICAL SHEET



**ARDON®**

**WORKWEAR  
& OUTDOOR**

<b>CODE</b>	<b>EAN</b>	<b>CARTON WEIGHT (KG)</b>	<b>UNIT WEIGHT (KG)</b>
G3291/38	8592390098849	21.3	2.125
G3291/39	8592390098641	21.4	2.136
G3291/40	8592390098658	21.4	2.142
G3291/41	8592390098665	21.5	2.148
G3291/42	8592390098672	21.5	2.153
G3291/43	8592390098689	21.6	2.159
G3291/44	8592390098696	21.6	2.161
G3291/45	8592390098702	21.7	2.168
G3291/46	8592390098719	21.8	2.175
G3291/47	8592390098726	21.9	2.186
G3291/48	8592390098733	22.0	2.196







**ARDON**<sup>®</sup>  
**WORKWEAR**  
**& OUTDOOR**





**ARDON®**

**WORKWEAR  
& OUTDOOR**



TECHNICAL SHEET