



ARDON®
WORKWEAR
& OUTDOOR

ARDON® FIRLOW S1P

SAFETY SHOES



DRY AIR



REFLECTIVE

TECHNICAL SHEET



ARDON[®]
WORKWEAR
 & **OUTDOOR**

ARDON[®] FIRLOW S1P

SAFETY SHOES

ARTICLE G1186

MATERIAL

Upper cowhide leather with SPLIT LEATHER design
 Lining MESH laminated breathable fabric
 Sole PU/PU, two-component spray coating, oil resistant, anti-static, antislip
 Toe cap steel 522X
 Plate steel
 Insole BASIC

SIZE 35-50

UNIT pair

PACKAGE

Units in a carton 10 pairs
 Units in a box 1 pair

DIMENSIONS

	35-42	43-46	47-50
Carton H x W x D (cm)	59,5 x 32,5x 37,5	62 x 34,5 x 39,5	62 x 36 x 41,5
Carton (cbm)	0,0725	0,0845	0,0926

Size EUR	35	36	37	38	39	40	41	42	43	44	45	46	47	48	49	50	51
Insole length mm	232	239	246	252	259	266	272	279	286	292	299	306	312	319	326	332	-
Foot length cm	22,7	23,4	24,1	24,7	25,4	26,1	26,7	27,4	28,1	28,7	29,4	30,1	30,7	31,4	32,1	32,7	-

DESCRIPTION

Safety low shoes with two-component polyurethane soles, a steel safety toe cap and a puncture-resistant insole.

TECHNICAL SHEET



ARDON[®]
WORKWEAR
 & **OUTDOOR**

NORMS

(EU) 2016/425

EN ISO 20345:2011 Personal protective equipment - Safety footwear

Category S1P SRA

Categories	EN ISO 20345	
E - energy absorption in the heel area	✓	
FO - resistance to oils and fuels	✓	
A - antistatic footwear	✓	
SRC - resistance to slipping on ceramic floor tiles with SLS and on steel floors with glycerin		
WR - upper resistant to water		
Safety toe cap for toe protection	✓	
P - resistance to punctures (protective insole)	✓	
SRA - slip resistance ceramic floor tiles with SLS	✓	
HRO - resistance to contact heatup to 300 °C		
HI-insulation of the bottom of the shoe against heat		
CI-insulation of the bottom of the shoe against the cold		
Splatters of molten metal		
ESD – shoe protects against electrostatic discharge and can be used on EPA premises		
The shoes do not contain metal parts		
-		
-		
-		

TECHNICAL SHEET



ARDON®
WORKWEAR
& OUTDOOR

CODE	EAN	CARTON WEIGHT (KG)	UNIT WEIGHT (KG)
G1186/35	8592390106667	13.61	1.361
G1186/36	8592390033079	13.65	1.365
G1186/37	8592390033086	13.69	1.369
G1186/38	8592390033093	13.72	1.372
G1186/39	8592390033109	13.75	1.375
G1186/40	8592390033116	13.79	1.379
G1186/41	8592390033123	13.85	1.385
G1186/42	8592390033130	13.91	1.391
G1186/43	8592390033147	13.92	1.392
G1186/44	8592390033154	13.95	1.395
G1186/45	8592390033161	13.98	1.398
G1186/46	8592390033178	14.01	1.401
G1186/47	8592390033185	14.15	1.415
G1186/48	8592390033192	14.18	1.418
G1186/49	8592390096142	14.21	1.421
G1186/50	8592390096159	14,25	1.425





ARDON®
WORKWEAR
& OUTDOOR





ARDON®
WORKWEAR
& OUTDOOR



TECHNICAL SHEET