



**ARDON®**  
**WORKWEAR**  
**& OUTDOOR**

# ARDON® PROTECTOR S3

SAFETY SHOES



**DRY AIR**



**REFLECTIVE**



**WATER  
REPELLENT**

TECHNICAL SHEET



**ARDON®**  
**WORKWEAR**  
**& OUTDOOR**

# ARDON® PROTECTOR S3

SAFETY SHOES

**ARTICLE** G3315

**MATERIAL**

Upper	buffalo leather with SPLIT LEATHER design in a thickness of 1,8 - 2 mm (with hydrophobic treatment)
Lining	laminated breathable fabric MESH
Sole	PU/rubber, two-component spray coating, oil resistant, anti-static, antislip, resistant to 300°C
Toe cap	Steel 443
Plate	Steel
Insole	BASIC
<b>SIZE</b>	36-50
<b>UNIT</b>	pair
<b>PACKAGE</b>	
Units in a carton	10 pairs
Units in a box	1 pair

**DIMENSIONS**

	36-43	44-50
Carton H x W x D (cm)	36 x 49 x 65	37 x 50 x 69
Carton (cbm)	0,115	0,128

Size EUR	35	36	37	38	39	40	41	42	43	44	45	46	47	48	49	50	51
Insole length mm	-	241	247	255	262	270	276	282	288	298	304	309	315	320	326	330	-
Foot length cm	-	23,1	23,7	24,5	25,2	26,0	26,6	27,2	27,8	28,8	29,4	29,9	30,5	31,0	31,6	32,0	-

**DESCRIPTION**

Ankle boots with PU / rubber sole, resistant to contact heat up to 300 °C. Upper made of leather with PU coating. The shoes in the S3 variant are equipped with a steel toe cap and anti-puncture steel insole.



**ARDON®**  
**WORKWEAR**  
 & **OUTDOOR**

## NORMS

(EU) 2016/425

EN ISO 20345:2011 Personal protective equipment –Safety footwear

Category S3 HRO SRC

Categories	EN ISO 20345	
E - energy absorption in the heel area	✓	
FO - resistance to oils and fuels	✓	
A - antistatic footwear	✓	
SRC - resistance to slipping on ceramic floor tiles with SLS and on steel floors with glycerin	✓	
WR - upper resistant to water	✓	
Safety toe cap for toe protection	✓	
P - resistance to punctures (protective insole)	✓	
SRA - slip resistance ceramic floor tiles with SLS		
HRO - resistance to contact heatup to 300 °C	✓	
HI-insulation of the bottom of the shoe against heat		
CI-insulation of the bottom of the shoe against the cold		
Splatters of molten metal		
ESD – shoe protects against electrostatic discharge and can be used on EPA premises		
The shoes do not contain metal parts		
-		
-		
-		

TECHNICAL SHEET



**ARDON®**  
**WORKWEAR**  
**& OUTDOOR**

<b>CODE</b>	<b>EAN</b>	<b>CARTON WEIGHT (KG)</b>	<b>UNIT WEIGHT (KG)</b>
G3315/36	8592390115263	16,50	1,650
G3315/37	8592390115270	16,90	1,690
G3315/38	8592390115287	17,50	1,750
G3315/39	8592390115294	17,80	1,780
G3315/40	8592390115300	18,30	1,830
G3315/41	8592390115317	18,80	1,880
G3315/42	8592390115324	18,90	1,890
G3315/43	8592390115331	19,40	1,940
G3315/44	8592390115348	19,80	1,980
G3315/45	8592390115355	20,90	2,090
G3315/46	8592390115362	21,30	2,130
G3315/47	8592390115379	22,00	2,200
G3315/48	8592390115386	22,60	2,260
G3315/49	8592390119148	23,00	2,300
G3315/50	8592390119155	23,50	2,350





**ARDON®**  
**WORKWEAR**  
**& OUTDOOR**





**ARDON®**  
**WORKWEAR**  
**& OUTDOOR**



TECHNICAL SHEET