



**ARDON**<sup>®</sup>  
**WORKWEAR**  
& **OUTDOOR**

# ARDON<sup>®</sup> FIRSAN TREK S1P

SAFETY SHOES



**DRY AIR**

TECHNICAL SHEET



**ARDON**<sup>®</sup>  
**WORKWEAR**  
**& OUTDOOR**

# ARDON<sup>®</sup> FIRSAN TREK S1P

SAFETY SHOES

**ARTICLE** G3305

**MATERIAL**

Upper brushed cowhide VELUR  
 Lining MESH laminated breathable fabric  
 Sole PU/PU, two-component spray coating, oil resistant, anti-static, antislip  
 Toe cap steel 522X  
 Plate steel  
 Insole BASIC

**SIZE** 35-48

**UNIT** pair

**PACKAGE**

Units in a carton 10 pairs  
 Units in a box 1 pair

**DIMENSIONS**

	35-42	43-46	47-48
Carton H x W x D (cm)	59,5 x 32,5x 37,5	62 x 34,5 x 39,5	62 x 36 x 41,5
Carton (cbm)	0,0725	0,0845	0,0926

Size EUR	35	36	37	38	39	40	41	42	43	44	45	46	47	48	49	50	51
Insole length mm	232	239	246	252	259	266	272	279	286	292	299	306	312	319	-	-	-
Foot length cm	22,7	23,4	24,1	24,7	25,4	26,1	26,7	27,4	28,1	28,7	29,4	30,1	30,7	31,4	-	-	-

**DESCRIPTION**

Safety sandals in trekking design with suede upper. Two--component polyurethane sole.

TECHNICAL SHEET



**ARDON**<sup>®</sup>  
**WORKWEAR**  
 & **OUTDOOR**

## NORMS

(EU) 2016/425

EN ISO 20345:2011 Personal protective equipment - Safety footwear

Category S1P SRA

Categories	EN ISO 20345	
E - energy absorption in the heel area	✓	
FO - resistance to oils and fuels	✓	
A - antistatic footwear	✓	
SRC - resistance to slipping on ceramic floor tiles with SLS and on steel floors with glycerin		
WR - upper resistant to water		
Safety toe cap for toe protection	✓	
P - resistance to punctures (protective insole)	✓	
SRA - slip resistance ceramic floor tiles with SLS	✓	
HRO - resistance to contact heatup to 300 °C		
HI-insulation of the bottom of the shoe against heat		
CI-insulation of the bottom of the shoe against the cold		
Splatters of molten metal		
ESD – shoe protects against electrostatic discharge and can be used on EPA premises		
The shoes do not contain metal parts		
-		
-		
-		

TECHNICAL SHEET



**ARDON®**  
**WORKWEAR**  
**& OUTDOOR**

<b>CODE</b>	<b>EAN</b>	<b>CARTON WEIGHT (KG)</b>	<b>UNIT WEIGHT (KG)</b>
G3305/35	8592390105790	11.81	1.181
G3305/36	8592390103673	11.85	1.185
G3305/37	8592390103680	11.89	1.189
G3305/38	8592390103697	11.91	1.191
G3305/39	8592390103703	11.94	1.194
G3305/40	8592390103710	11.99	1.199
G3305/41	8592390103727	12.05	1.205
G3305/42	8592390103734	12.11	1.211
G3305/43	8592390103741	12.16	1.216
G3305/44	8592390103758	12.18	1.218
G3305/45	8592390103765	12.21	1.221
G3305/46	8592390103772	12.25	1.225
G3305/47	8592390103789	12.27	1.227
G3305/48	8592390103796	12.29	1.229





**ARDON®**  
**WORKWEAR**  
**& OUTDOOR**



TECHNICAL SHEET



**ARDON**<sup>®</sup>  
**WORKWEAR**  
& **OUTDOOR**

