



**ARDON®**  
**WORKWEAR**  
**& OUTDOOR**

# ARDON® ARDON 01

WORKING SHOES



TECHNICAL SHEET



DRY AIR



REFLECTIVE



**ARDON®**  
**WORKWEAR**  
**& OUTDOOR**

# ARDON® ARDON 01

WORKING SHOES

**ARTICLE** G1051

**MATERIAL**

Upper  
 Lining  
 Sole

buffalo leather with SPLIT LEATHER design in a thickness of 1,8 - 2 mm  
 laminated breathable fabric TAIBRELLE  
 PU/PU, two-component spray coating, oil resistant, anti-static, antislip

Insole

BASIC

**SIZE**

36-48

**UNIT**

pair

**PACKAGE**

Units in a carton

10 pairs

Units in a box

1 pair

**DIMENSIONS**

Carton H x W x D  
 (cm)

36-45  
 36 x 48 x 64

46-48  
 36 x 51.5 x 67

Carton (cbm)

0,111

0,124

Size EUR

35	36	37	38	39	40	41	42	43	44	45	46	47	48	49	50	51
----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----

Insole length mm

-	240	248	254	261	266	272	280	285	294	303	308	318	324	-	-	-
---	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	---	---	---

Foot length cm

-	23,0	23,8	24,4	25,1	25,6	26,2	27,0	27,5	28,4	29,3	29,8	30,8	31,4	-	-	-
---	------	------	------	------	------	------	------	------	------	------	------	------	------	---	---	---

**DESCRIPTION**

Ardon ankle work boots with leather upper, with reflective elements. Sole made of double density PU / PU material.

TECHNICAL SHEET



**ARDON**<sup>®</sup>  
**WORKWEAR**  
**& OUTDOOR**

## NORMS

(EU) 2016/425

EN ISO 20347:2012 Personal protective equipment – Occupational footwear

Category O1 SRC

Categories	EN ISO 20347	
E - energy absorption in the heel area	✓	
FO - resistance to oils and fuels	✓	
A - antistatic footwear	✓	
SRC - resistance to slipping on ceramic floor tiles with SLS and on steel floors with glycerin	✓	
WR - upper resistant to water		
Safety toe cap for toe protection		
P - resistance to punctures (protective insole)		
SRA - slip resistance ceramic floor tiles with SLS		
HRO - resistance to contact heatup to 300 °C		
HI-insulation of the bottom of the shoe against heat		
CI-insulation of the bottom of the shoe against the cold		
Splatters of molten metal		
ESD – shoe protects against electrostatic discharge and can be used on EPA premises		
The shoes do not contain metal parts		
-		
-		
-		

TECHNICAL SHEET





**ARDON®**

**WORKWEAR  
& OUTDOOR**

<b>CODE</b>	<b>EAN</b>	<b>CARTON WEIGHT (KG)</b>	<b>UNIT WEIGHT (KG)</b>
G1051/36	8592390007469	13,56	1,356
G1051/37	8592390007476	14,03	1,403
G1051/38	8592390007483	14,16	1,416
G1051/39	8592390007490	14,38	1,438
G1051/40	8592390007506	14,49	1,449
G1051/41	8592390007513	15,18	1,518
G1051/42	8592390007520	15,24	1,524
G1051/43	8592390007537	15,39	1,539
G1051/44	8592390007544	16,51	1,651
G1051/45	8592390007551	16,97	1,697
G1051/46	8592390007568	17,40	1,740
G1051/47	8592390007575	17,77	1,777
G1051/48	8592390007582	18,12	1,812







**ARDON®**  
**WORKWEAR**  
**& OUTDOOR**





**ARDON®**

**WORKWEAR  
& OUTDOOR**



TECHNICAL SHEET