



ARDON®
WORKWEAR
& OUTDOOR

ARDON® KINGWIN S3

SAFETY SHOES



WINTER



REFLECTIVE



WATER
REPELLENT

TECHNICAL SHEET



ARDON®
WORKWEAR
& OUTDOOR

ARDON® KINGWIN S3

SAFETY SHOES

ARTICLE G3289

MATERIAL

Upper buffalo leather with SPLIT LEATHER design in a thickness of 1,8 - 2 mm (with hydrophobic treatment)
 Lining synthetic FUR
 Sole PU/PU, two-component spray coating, oil resistant, anti-static, antislip

Toe cap Composite 443
 Plate Kevlar
 Insole BASIC
SIZE 36-48
UNIT pair

PACKAGE

Units in a carton 10 pairs
 Units in a box 1 pair

DIMENSIONS

	36-43	44-48
Carton H x W x D (cm)	36 x 49 x 65	37 x 49,5 x 69
Carton (cbm)	0,115	0,126

Size EUR	35	36	37	38	39	40	41	42	43	44	45	46	47	48	49	50	51
Insole length mm	-	241	247	255	262	270	276	282	288	298	304	309	315	320	-	-	-
Foot length cm	-	23,1	23,7	24,5	25,2	26,0	26,6	27,2	27,8	28,8	29,4	29,9	30,5	31,0	-	-	-

DESCRIPTION

Safety ankle boots with leather upper with hydrophobic treatment and fabric, insulated with synthetic fur. Safety is ensured by a composite toe cap and a flexible Kevlar insole. Sole made of double density PU / PU material.



ARDON®
WORKWEAR
 & **OUTDOOR**

NORMS

(EU) 2016/425

EN ISO 20345:2011 Personal protective equipment –Safety footwear

Category S3 SRC CI

Categories	EN ISO 20345	
E - energy absorption in the heel area	✓	
FO - resistance to oils and fuels	✓	
A - antistatic footwear	✓	
SRC - resistance to slipping on ceramic floor tiles with SLS and on steel floors with glycerin	✓	
WR - upper resistant to water	✓	
Safety toe cap for toe protection	✓	
P - resistance to punctures (protective insole)	✓	
SRA - slip resistance ceramic floor tiles with SLS		
HRO - resistance to contact heatup to 300 °C		
HI-insulation of the bottom of the shoe against heat		
CI-insulation of the bottom of the shoe against the cold	✓	
Splatters of molten metal		
ESD – shoe protects against electrostatic discharge and can be used on EPA premises		
The shoes do not contain metal parts		
-		
-		
-		

TECHNICAL SHEET



ARDON®
WORKWEAR
& OUTDOOR

CODE	EAN	CARTON WEIGHT (KG)	UNIT WEIGHT (KG)
G3289/36	8592390108593	14,80	1,480
G3289/37	8592390108609	15,00	1,500
G3289/38	8592390108616	15,70	1,570
G3289/39	8592390108623	16,20	1,620
G3289/40	8592390108630	16,60	1,660
G3289/41	8592390108647	16,90	1,690
G3289/42	8592390108654	17,00	1,700
G3289/43	8592390108661	17,20	1,720
G3289/44	8592390108678	18,00	1,800
G3289/45	8592390108685	18,50	1,850
G3289/46	8592390108692	19,20	1,920
G3289/47	8592390108708	19,70	1,970
G3289/48	8592390108715	20,50	2,050



ARDON®
WORKWEAR
& OUTDOOR





ARDON®
WORKWEAR
& OUTDOOR



TECHNICAL SHEET